

Tehnički list za artikl: EV101321A-

USB utičnica s priključkom tip A+C, 3 A, bijeli

VISIO S 55 (55x55), Connection type terminal block, Plug-in terminal, White To be completed in VISIO S 55 DESIGN "CUBIC" with frame 1-gang EV105301-- , 2-gang EV105302-- , 3-gang EV105303-- ; in VISIO S 50 DESIGN "CLASSIC" the 55mm special frame 1-gang (EV105021--), 2-gang (EV105022--) or 3-gang (EV105023--) must be used.



Tehnički podaci

Neto duljina (mm)	70,00
Neto širina (mm)	70,00
Neto dubina (mm)	58,00
Neto masa (kg)	0,07
Serijski	VISIO S 55
Dizajn	CUBIC CLASSIC
Tip proizvoda	Šuko utičnica
Radni napon AC (V)	230
Način ugradnje	Screws and claws
Način pričvršćenja	Podžbukni
Boja	bijela
Tip priključka	Terminal Block Utična stezaljka
Dopušteni kablovi	Kruti

Tehnički podaci - nastavak

Dopušteni presjek (mm ²)	1,5 und 2,5
Materijal	ABS Bakar Pocinčani čelik Plastika Mesing
Okoliš	bezhalogeno
Trajnost	ROHS
Dimenzije (mm)	70x70x58
Ugradna dubina (mm)	48,30

Tabela artikla

OPIS	KAT. BROJ
USB utičnica s priključkom tip A+C, 3 A, bijeli VISIO S 55 (55x55), Connection type terminal block, Plug-in terminal, White To be completed in VISIO S 55 DESIGN "CUBIC" with frame 1-gang EV105301-- , 2-gang EV105302-- , 3-gang EV105303-- ; in VISIO S 50 DESIGN "CLASSIC" the 55mm special frame 1-gang (EV105021--), 2-gang (EV105022--) or 3-gang (EV105023--) must be used.	EV101321A
Dodatni pribor	
Okvir CUBIC, 1-struki, bijeli VISIO S 55 (55x55)	EV105301
Okvir CUBIC, 2-struki, bijeli VISIO S 55 (55x55)	EV105302
Okvir CUBIC, 3-struki, bijeli VISIO S 55 (55x55)	EV105303
Okvir CUBIC, 4-struki, bijeli VISIO S 55 (55x55)	EV105304
Okvir CUBIC, 5-struki, bijeli VISIO S 55 (55x55)	EV105305
Okvir 1-struki 55x55mm, bijeli 1-struki okvir za integraciju proizvoda s centralnom pločom dimenzije 55x55mm.	EV105021
Okvir 2-struki 55x55mm, bijeli 2-struki okvir za integraciju proizvoda s centralnom pločom dimenzije 55x55mm.	EV105022
Okvir 3-struki 55x55mm, bijeli 3-struki okvir za integraciju proizvoda s centralnom pločom dimenzije 55x55mm.	EV105023