


Tehnički list za artikl: H6GMU05K0U

Prespojni kabel RJ45 oklopljen 10GB, LSOH, zeleni, 5.0m

4PPoE 100W, CLASSIC



Schrack-Info

Patchcords for generic, structured-network cabling systems RJ45/RJ45, 1:1 S/FTP double shielding. For transmission speeds up to 10 Gigabit Ethernet. Bandwidth up to 500 MHz. The cable offers maximum data security Pair in metal foil overall braid, as well as 360° shielded RJ45 connectors. This patchcord is suitable for use in offices and datacenters.

Standards:

- IEEE 802.3; 10BaseT; 100BaseT; 1000BaseT; 10GBaseT; IEEE 802.5 16MB; ISDN; ATM; Telefon
- Pin-Assignment: EIA/TIA 568B 1:1
- Cat. 6_A, ISO/IEC 11 801 Ed.2.2 (2011-07) IEC 61935-2 Ed.3.0 (2010-07), EN 50173-1 and IEC 61156-6

Tehnički podaci

Neto širina (mm)	240,00
Neto visina (mm)	200,00
Brzina prijenosa	10Gbit
Kategorija	Cat.6
Sastav kabela	4x2xAWG26/7
Kabelski oklop	S/FTP

Tehnički podaci - nastavak

Materijal vodiča	Licnasta žica AWG 26/7 (0,457mm)
Konekcija	1:1
Broj parica	4
Oklop	Oklopljen
Vanjski omotač kabela	LSOH
LED funkcija	bez LED
Boja	zelena
Temperaturno područje - Pogon (°C)	-25 do +60
Temperaturno područje - Instalacija (°C)	+0 do +50
Otpor (Ohm)	100 ± 5
Izolacijski otpor (MΩ*km)	> 2000MΩ/km
Kašnjenje uklopa (ns/m)	> 10MHz: 4,5
RoHS	Konformno
Impedancija petlje (Ω/km)	300
4PPoE	Da
Duljina prespojnog kabela (m)	5,0

Mjerne skice: Prespojni kabel RJ45 oklopljen 10GB, LSOH, zeleni, 5.0m




Tabela artikla

OPIS	NVP (%)	MASA BAKRA (kg/km)	KAT. BROJ
Prespojni kabel RJ45 oklopljen 10GB, LS0H, zeleni, 5.0m 4PPoE 100W, CLASSIC			H6GMU05K0U
Dodatni pribor			
S-JACK modul RJ45 oklopljen, Cat.6a 10GB, 4PPoE 100W SFB 24 kom. u kutiji			HSEMRJ6GS2
S-JACK modul RJ45 oklop., Cat.6a 10GB, 4PPoE 100W SFB .			HSEMRJ6GS1
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFB (SFB)			HSEMRJ6GBA
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFA (SFA)			HSEMRJ6GWA
S/FTP kabel cat.7a, 4x2xAWG22/1, 1500MHz, LS0H-3, Dca, plavi za rezanje	79	34	HSEKP422HP
S/FTP kabel cat.7, 4x2xAWG23/1; 1.000MHz, LS0H; Dca, 30%, plavi bubanj 1000m	77	25	HSKP423PP1
S/FTP kabel cat.7, 4x2xAWG23/1; 1.000MHz, LS0H; Dca, 30%, plavi bubanj 500m	77	25	HSKP423PP5
F/FTP inst. kabel cat.6a, 4x2xAWG23/1, 500MHz, LS0H-3, Dca, plavi za rezanje	79	20	HSEKP423HA