

Tehnički list za artikl: HSELS123CP

Opt. razdjelnik, 12 niti, SC, 50/ 125µm OM3, izvlačivi, 19", 1U

RAL7035, ECO



SCHRACK info

Chassis

- Two pieces removable 19" holders. Depth adjustable up to 40mm
- Sliding tray design:
for 12 SC Duplex couplers
- Blindcovers are used to cover unused openings
- Four openings for cable-gland
- Two fittings M22
- Material: Sheet steel, powder -coated, RAL 7035
- Sheet steel thickness:
Chassis: 1,0mm
Sliding tray: 1,25mm
Frontpanel: 1,4mm
19" holder: 1,5mm

SPLICE-CASSETTES

- For shrink splice protectors
 - up to 12 fibres: 1 splice-cassette
 - up to 24 fibers: 2 splice-cassettes

STANDARDS

- EN 50173-1, EN 61300-3-6, EN 61300-3-34

Tehnički podaci

Neto širina (mm)	480,00
Neto visina (mm)	44,00
Neto dubina (mm)	242,00
Neto masa (kg)	2,53
Vlakno	multimodno 50/125µm OM3
Boja	RAL 7035 (svijetlo siva)
Uklopno prigušenje tipično (dB)	< 0,2
Prigušenje povratnog toka tipično (dB)	> 35
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	70
Broj vlakana	12

Tabela artikla

OPIS	KAT. BROJ
Opt. razdjelnik, 12 niti, SC, 50/125µm OM3, izvlačivi, 19", 1U RAL7035, ECO	HSELS123CP
Dodatni pribor	
Optička cjevčica za zaštitu spoja 60mm	HELSP00011
Optička cjevčica za zaštitu spoja 40mm	HELSP00010
Alat za čišćenje optičkih utikača SC, ST, FC i E2000 Pogodno za UPC i APC utikače. Više od 1000 ciklusa čišćenja.	HSELSZT002
Mjerač snage s integriranim laserom (VFL) za optičke spojeve PAŽNJA: ovo je izvor svjetla Laser klase 2. Nikada ne gledajte u izvor. Uvijek koristite pokrov na VFL portu kad nije u uporabi. Preporučujemo uporabu specijalnih naočala za rad s laserskim izvorima svjetla.	HSELSZT003
Optički prespojni kabel duplex, SC/SC, 50/125µm OM3, 2.0m tirkizni, 2.0m, LSH0	HLP23CC02F
Optički prespojni kabel duplex, SC/SC, 50/125µm OM3, 5.0m tirkizni, 5.0m, LSH0	HLP23CC05F
Optički prespojni kabel duplex, LC/SC, 50/125µm OM3, 2.0m tirkizni, 2.0m, LSH0	HLP23LC02F

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Optički prespojni kabel duplex, LC/SC, 50/125µm OM3, 5.0m tirkizni, 5.0m, LSH0	HLP23LC05F
Optički prespojni kabel duplex ST/SC, 50/125µm OM3, 2.0m tirkizni, 2.0m, LSH0	HLP23TC02F
Optički prespojni kabel duplex ST/SC, 50/125µm OM3, 5.0m tirkizni, 5.0m, LSH0	HLP23TC05F