

Tehnički list za artikl: HSELS123LP

# Opt. razdjelnik, 12 niti, LC, 50/125µm OM3, izvlačivi, 19", 1U

RAL7035, ECO



## SCHRACK info

### Chassis

- Two pieces removable 19" holders. Depth adjustable up to 40mm
- Sliding tray design:  
for 12 LC Duplex couplers
- Blindcovers are used to cover unused openings
- Four openings for cable-gland
- Two fittings M22
- Material: Sheet steel, powder -coated, RAL 7035
- Sheet steel thickness:  
Chassis: 1,0mm  
Sliding tray: 1,25mm  
Frontpanel: 1,4mm  
19" holder: 1,5mm

### SPLICE-CASSETTES

- For shrink splice protectors  
up to 12 fibres: 1 splice-cassette  
up to 24 fibers: 2 splice-cassettes

#### STANDARDS

- EN 50173-1, EN 61300-3-6, EN 61300-3-34

## Tehnički podaci

|                                        |                          |
|----------------------------------------|--------------------------|
| Neto širina (mm)                       | 480,00                   |
| Neto visina (mm)                       | 44,00                    |
| Neto dubina (mm)                       | 242,00                   |
| Neto masa (kg)                         | 2,53                     |
| Vlakno                                 | multimodno 50/125µm OM3  |
| Boja                                   | RAL 7035 (svijetlo siva) |
| Uklopno prigušenje tipično (dB)        | < 0,2                    |
| Prigušenje povratnog toka tipično (dB) | > 35                     |
| Min. temperatura okoline (°C)          | -10                      |
| Maks. temperatura okoline (°C)         | 70                       |
| Broj vlakana                           | 12                       |

## Tabela artikla

| OPIS                                                                                                                                                                                                                                                                               | KAT. BROJ  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Opt. razdjelnik, 12 niti, LC, 50/125µm OM3, izvlačivi, 19", 1U<br>RAL7035, ECO                                                                                                                                                                                                     | HSELS123LP |
| <b>Dodatni pribor</b>                                                                                                                                                                                                                                                              |            |
| Optička cjevčica za zaštitu spoja 60mm                                                                                                                                                                                                                                             | HELSP00011 |
| Optička cjevčica za zaštitu spoja 40mm                                                                                                                                                                                                                                             | HELSP00010 |
| Alat za čišćenje optičkih utikača LC i MU<br>Pogodno za UPC i APC utikače. Više od 1000 ciklusa čišćenja.                                                                                                                                                                          | HSELSZT001 |
| Mjerač snage s integriranim laserom (VFL) za optičke spojeve<br>PAŽNJA: ovo je izvor svjetla Laser klase 2. Nikada ne gledajte u izvor. Uvijek koristite pokrov na VFL portu kad nije u uporabi.<br>Preporučujemo uporabu specijalnih naočala za rad s laserskim izvorima svjetla. | HSELSZT003 |
| Optički prespojni kabel duplex, LC/LC, 50/125µm OM3, 2.0m<br>tirkizni, 2.0m, LSH0                                                                                                                                                                                                  | HLP23LL02F |
| Optički prespojni kabel duplex, LC/LC, 50/125µm OM3, 5.0m<br>tirkizni, 5.0m, LSH0                                                                                                                                                                                                  | HLP23LL05F |
| Optički prespojni kabel duplex, LC/SC, 50/125µm OM3, 2.0m<br>tirkizni, 2.0m, LSH0                                                                                                                                                                                                  | HLP23LC02F |

## Tabela artikla

| OPIS                                                                              | KAT. BROJ  |
|-----------------------------------------------------------------------------------|------------|
| <b>Dodatni pribor</b>                                                             |            |
| Optički prespojni kabel duplex, LC/SC, 50/125µm OM3, 5.0m<br>tirkizni, 5.0m, LSH0 | HLP23LC05F |
| Optički prespojni kabel duplex LC/ST, 50/125µm OM3, 2.0m<br>tirkizni, 2.0m, LSH0  | HLP23LT02F |
| Optički prespojni kabel duplex LC/ST, 50/125µm OM3, 5.0m<br>tirkizni, 5.0m, LSH0  | HLP23LT05F |