

Tehnički list za artikl: HSELS12SLL

Optički razdjelnik, 12xLC, 50/125µm OM5, izvlačivi, 19", 1U

prema IEC 61753-1, RAL7035, izvlačiva ladica, optički završeci umetnuti, spremni za spajanje



SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

Properties Housing:

- 19", 1U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open

Standards:

50173-1, EN 61300-3-6, EN 61300-3-61

Tehnički podaci

Tehnički podaci - nastavak

Neto širina (mm)	482,50
Neto visina (mm)	43,60
Neto dubina (mm)	211,50
Neto masa (kg)	2,70
Vlakno	50/125 OM5 Multimode
Boja	RAL 7035 (svijetlo siva)
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	70
Broj vlakana	12
Spojnica	LC

Tabela artikla

OPIS	KAT. BROJ
Optički razdjelnik, 12xLC, 50/125µm OM5, izvlačivi, 19", 1U prema IEC 61753-1, RAL7035, izvlačiva ladica, optički završeci umetnuti, spremni za spajanje	HSLS12SLL
Dodatni pribor	
Optička cjevčica za zaštitu spoja 60mm	HELSP00011
Optička cjevčica za zaštitu spoja 40mm	HELSP00010
Alat za čišćenje optičkih utikača LC i MU Pogodno za UPC i APC utikače. Više od 1000 ciklusa čišćenja.	HSLSZT001
Mjerač snage s integriranim laserom (VFL) za optičke spojeve PAŽNJA: ovo je izvor svjetla Laser klase 2. Nikada ne gledajte u izvor. Uvijek koristite pokrov na VFL portu kad nije u uporabi. Preporučujemo uporabu specijalnih naočala za rad s laserskim izvorima svjetla.	HSLSZT003
Optički prespojni kabel DX LC/LC, 50/125µm OM5, LS0H-3, 1m boja: limunsko zelena	HLP2SLL01F
Optički prespojni kabel DX LC/LC, 50/125µm OM5, LS0H-3, 2m boja: limunsko zelena	HLP2SLL02F
Optički prespojni kabel DX LC/LC, 50/125µm OM5, LS0H-3, 3m boja: limunsko zelena	HLP2SLL03F
Optički prespojni kabel DX LC/LC, 50/125µm OM5, LS0H-3, 5m boja: limunsko zelena	HLP2SLL05F