

Tehnički list za artikl: HSELS169CP

Opt. razdjelnik, 16 niti, SC, 9/ 125µm OS2, izvlačivi, 19", 1U

RAL7035, ECO



SCHRACK-Info

Chassis

- Two pieces removable 19" holders. Depth adjustable up to 40mm
- Sliding tray design:
for 12 SC Duplex couplers
- Blindcovers are used to cover unused openings
- Four openings for cable-gland
- Two fittings M22
- Material: Sheet steel, powder -coated, RAL 7035
- Sheet steel thickness:
Chassis: 1,0mm
Sliding tray: 1,25mm
Frontpanel: 1,4mm
19" holder: 1,5mm

SPLICE-CASSETTES

- For shrink splice protectors
up to 12 fibres: 1 splice-cassette
up to 24 fibers: 2 splice-cassettes

STANDARDS

- EN 50173-1, EN 61300-3-6, EN 61300-3-34

Tehnički podaci

Neto širina (mm)	480,00
Neto visina (mm)	44,00
Neto dubina (mm)	242,00
Neto masa (kg)	2,53
Vlakno	9/125 OS2 Singlemode / G.652.D
Boja	RAL 7035 (svijetlo siva)
Uklopno prigušenje tipično (dB)	< 0,2
Prigušenje povratnog toka tipično (dB)	> 50
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	70
Broj vlakana	16

Tabela artikla

OPIS	KAT. BROJ
Opt. razdjelnik, 16 niti, SC, 9/125µm OS2, izvlačivi, 19", 1U RAL7035, ECO	HSELS169CP
Dodatni pribor	
Optička cjevčica za zaštitu spoja 60mm	HELSP00011
Optička cjevčica za zaštitu spoja 40mm	HELSP00010
Alat za čišćenje optičkih utikača SC, ST, FC i E2000 Pogodno za UPC i APC utikače. Više od 1000 ciklusa čišćenja.	HSELSZT002
Mjerač snage s integriranim laserom (VFL) za optičke spojeve PAŽNJA: ovo je izvor svjetla Laser klase 2. Nikada ne gledajte u izvor. Uvijek koristite pokrov na VFL portu kad nije u uporabi. Preporučujemo uporabu specijalnih naočala za rad s laserskim izvorima svjetla.	HSELSZT003
Optički pr. kabel duplex SC/UPC - SC/UPC, 9/125µm OS2, LS0H žuti, 2.0m, LSH0	HLP29CC02F
Optički pr. kabel duplex SC/UPC - SC/UPC, 9/125µm OS2, LS0H žuti, 5.0m, LSH0	HLP29CC05F

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Optički prespojni kabel duplex, LC/SC, 9/125µm OS2, 2.0m žuti, 2.0m, LSH0	HLP29LC02F
Optički prespojni kabel duplex, LC/UPC - SC/UPC, 9/125µm OS2 žuti, 5.0m, LSH0	HLP29LC05F
Optički prespojni kabel duplex, ST/SC, 9/125µm OS2, 2.0m žuti, 2.0m, LSH0	HLP29TC02F
Optički prespojni kabel duplex, ST/SC, 9/125µm OS2, 5.0m žuti, 5.0m, LSH0	HLP29TC05F
Optički prespojni kabel duplex, SC/FC, 9/125µm OS2, 2.0m žuti, 2.0m, LSH0	HLP29CF02F
Optički prespojni kabel duplex, SC/FC, 9/125µm OS2, 5.0m žuti, 5.0m, LSH0	HLP29CF05F