


Tehnički list za artikl: HSELS24SLG

# Optički prespojni panel 19", 1U, uklj. 24 spojnice LC SM




RAL7035, PREMIUM



## Tehnički podaci

|                                |                          |
|--------------------------------|--------------------------|
| Neto širina (mm)               | 482,50                   |
| Neto visina (mm)               | 43,60                    |
| Neto dubina (mm)               | 211,50                   |
| Neto masa (kg)                 | 2,70                     |
| Vlakno                         | singlemodno 9/125µm OS1  |
| Boja                           | RAL 7035 (svijetlo siva) |
| Min. temperatura okoline (°C)  | -10                      |
| Maks. temperatura okoline (°C) | 70                       |

## Dimension drawing



## Tabela artikla

| OPIS                                                                             | KAT. BROJ  |
|----------------------------------------------------------------------------------|------------|
| Optički prespojni panel 19", 1U, uklj. 24 spojnice LC SM<br>RAL7035, PREMIUM     | HSELS24SLG |
| <b>Dodatni pribor</b>                                                            |            |
| Optički prespojni kabel duplex, LC/LC, 9/125µm OS2, 2.0m<br>žuti, 2.0m, LSH0     | HLP29LL02F |
| Optički prespojni kabel duplex, LC/LC, 9/125µm OS2, 5.0m<br>žuti, 5.0m, LSH0     | HLP29LL05F |
| Optički prespojni kabel duplex, LC/SC, 9/125µm OS2, 2.0m<br>žuti, 2.0m, LSH0     | HLP29LC02F |
| Optički prespojni kabel duplex, LC/UPC - SC/UPC, 9/125µm OS2<br>žuti, 5.0m, LSH0 | HLP29LC05F |
| Optički prespojni kabel duplex, LC/FC, 9/125µm OS2, 2.0m<br>žuti, 2.0m, LSH0     | HLP29LF02F |