


Tehnički list za artikl: IP1030131 -

## Installation terminal block PTI 16 NLS-FI BU

Push-in connection, cross section: 0.5 mm<sup>2</sup> - 25 mm<sup>2</sup>, AWG: 20 - 4, width: 12.2 mm, color: blue, NS 35/7.5, NS 35/15



### Tehnički podaci

|                                                             |                    |
|-------------------------------------------------------------|--------------------|
| Neto dubina (mm)                                            | 48,50              |
| Neto širina (mm)                                            | 12,20              |
| Neto visina (mm)                                            | 81,90              |
| Neto masa (kg)                                              | 0,03               |
| EAN                                                         | 4055626532479      |
| Disipacija snage (W)                                        | 2,43               |
| Min. temperatura okoline (°C)                               | -60                |
| Maks. temperatura okoline (°C)                              | 110                |
| Osnovna oznaka                                              | Stezaljka          |
| Sistem                                                      | Push-In            |
| Seriya                                                      | PT                 |
| Izvedba/tip                                                 | Prolazne stezaljke |
| Maks. presjek, kruti vodič (mm <sup>2</sup> )               | 25                 |
| Maks. presjek, fleksibilni vodič (mm <sup>2</sup> )         | 16                 |
| Maks. presjek, savitljiva žica s ferulom (mm <sup>2</sup> ) | 16                 |
| Min. presjek, kruti vodič (mm <sup>2</sup> )                | 0,50               |
| Min. presjek, fleksibilni vodič (mm <sup>2</sup> )          | 0,50               |

## Tehnički podaci - nastavak

|                                                                            |       |
|----------------------------------------------------------------------------|-------|
| Min. poprečni presjek fleksibilni s kablskim završetkom (mm <sup>2</sup> ) | 0,50  |
| Presjek (mm <sup>2</sup> )                                                 | 16    |
| Boja                                                                       | plava |
| Nazivna struja (A)                                                         | 70    |

## Tabela artikla

| OPIS                                                                                                                                                                 | KAT. BROJ  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Installation terminal block PTI 16 NLS-FI BU                                                                                                                         | IP1030131  |
| Push-in connection, cross section: 0.5 mm <sup>2</sup> - 25 mm <sup>2</sup> , AWG: 20 - 4, width: 12.2 mm, color: blue, NS 35/7.5, NS 35/15                          |            |
| <b>Dodatni pribor</b>                                                                                                                                                |            |
| Koncový držák CLIPFIX 15, montáž na lištu NS 15<br>sivi                                                                                                              | IP3022263  |
| Krajnji držač CLIPFIX 35-5 za NS 35/7,5 ili 35/15<br>s mogućnošću označavanja, širina: 5, 15 mm, sivi                                                                | IP3022276  |
| Krajnji držač CLIPFIX 35, za NS 35/7,5 ili 35/15<br>s mogućnošću označavanja, širina: 9,5 mm, sivi                                                                   | IP3022218  |
| Krajnji držač E/UK<br>End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray                                                                        | IP1201442  |
| Krajnji držač E/UK 1<br>End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray                               | IP1201413  |
| Krajnji držač E/MBK<br>Krajnji držač, Širina: 6,2 mm, Boja: siva                                                                                                     | IP1401637  |
| Krajnji držač E/MK 1<br>Krajnji držač, Širina: 6 mm, Boja: siva                                                                                                      | IP1421659  |
| Krajnji držač E/NS 35 N<br>Širina: 9,5 mm, Boja: siva                                                                                                                | IP0800886  |
| Horizontalne oznake (1-10) za redne stezaljke širine 5.2mm<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm  | IP10500171 |
| Horizontalne oznake (11-20) za redne stezaljke širine 5.2mm<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm | IP10500172 |
| Horizontalne oznake (21-30) za redne stezaljke širine 5.2mm<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm | IP10500173 |
| Označna traka ZB 5, brojevi 31-40<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm                           | IP10500174 |

## Tabela artikla

| OPIS                                                                                                  | KAT. BROJ  |
|-------------------------------------------------------------------------------------------------------|------------|
| <b>Dodatni pribor</b>                                                                                 |            |
| Označna traka ZB 5, brojevi 41-50                                                                     | IP10500175 |
| Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm |            |
| Označna traka ZB 5, brojevi 51-60                                                                     | IP10500176 |
| Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm |            |
| Označna traka ZB 5, brojevi 61-70                                                                     | IP10500177 |
| Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm |            |
| Označna traka ZB 5, brojevi 71-80                                                                     | IP10500178 |
| Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm |            |
| Označna traka ZB 5, brojevi 81-90                                                                     | IP10500179 |
| Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm |            |
| Označna traka ZB 5, brojevi 91-100                                                                    | IP1050017H |
| Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm |            |
| Ozn. traka ravna ZBF 5 , brojevi 1-10                                                                 | IP08086711 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 11-20                                                                | IP08086712 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 21-30                                                                | IP08086713 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 31-40                                                                | IP08086714 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 41-50                                                                | IP08086715 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 51-60                                                                | IP08086716 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 61-70                                                                | IP08086717 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 71-80                                                                | IP08086718 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 81-90                                                                | IP08086719 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| Ozn. traka ravna ZBF 5 , brojevi 91-100                                                               | IP0808671H |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     |            |
| End cover D-PTI/3                                                                                     | IP3213975  |
| End cover, length: 101 mm, width: 2.2 mm, height: 48.2 mm, color: grey                                |            |
| Support bracket AB-PTI/3                                                                              | IP3213974  |
| Bracket for busbars, set every 20 cm, modular dimensions: 200 x 103 mm, 2 mm x 46 mm, poles: 1, blue  |            |
| Kratkospojnik (utični) za 2 stezaljke, FBS 2-5                                                        | IP3030161  |
| Korak: 5.2mm, duljina: 22.7mm, širina: 9mm, boja: crvena                                              |            |

## Tabela artikla

| OPIS                                                                                                                                                                                       | KAT. BROJ |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>Dodatni pribor</b>                                                                                                                                                                      |           |
| Mostić za utiskivanje FBS 3-5<br>Plug-in bridge, pitch: 5.2 mm, length: 22.7 mm, width: 14.2 mm, poles: 3, color: red                                                                      | IP3030174 |
| Mostić za utiskivanje FBS 4-5<br>Plug-in bridge, pitch: 5.2 mm, length: 22.7 mm, width: 19,4 mm, poles: 4, color: red                                                                      | IP3030187 |
| Mostić za utiskivanje FBS 5-5<br>Plug-in bridge, pitch: 5.2 mm, length: 22.7 mm, width: 24.6 mm, poles: 5, color: red                                                                      | IP3030190 |
| Kratkospojnik (utični) za 10 stezaljki, FBS 10-5<br>Korak: 5.2mm, duljina: 22.7mm, širina: 50.6mm, boja: crvena                                                                            | IP3030213 |
| Mostić za utiskivanje FBS 20-5<br>Plug-in bridge, pitch: 5.2 mm, poles: 20, color: red                                                                                                     | IP3030226 |
| Mostić za utiskivanje FBSR 2-5<br>Plug-in bridge, pitch: 5.2 mm, poles: 2, color: red                                                                                                      | IP3033702 |
| Mostić za utiskivanje FBSR 3-5<br>Plug-in bridge, pitch: 5.2 mm, poles: 3, color: red                                                                                                      | IP3001591 |
| Mostić za utiskivanje FBSR 5-5<br>Plug-in bridge, pitch: 5.2 mm, poles: 5, color: red                                                                                                      | IP3001593 |
| Adapter za testiranje PAI-4-N GY<br>Test adapter, color: grey                                                                                                                              | IP3032871 |
| Odvijač 0,6 x 3,5 (SZF 1-0,6x3,5)<br>Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip | IP1204517 |