


Tehnički list za artikl: IP3211485-

Feed-through terminal block PT 6-TWIN BU

Push-in connection, cross section: 0.5 - 10 mm², AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey, NS 35/7.5, NS 35/15



Tehnički podaci

Neto dubina (mm)	42,20
Neto širina (mm)	8,20
Neto visina (mm)	74,20
Neto masa (kg)	0,02
EAN	4046356495967
Disipacija snage (W)	1,31
Min. temperatura okoline (°C)	-40
Maks. temperatura okoline (°C)	120
Osnovna oznaka	Stezaljka
Sistem	Push-In
Seriya	PT
Izvedba/tip	Prolazne stezaljke
Maks. presjek, kruti vodič (mm ²)	10
Maks. presjek, fleksibilni vodič (mm ²)	6
Maks. presjek, savitljiva žica s ferulom (mm ²)	6
Min. presjek, kruti vodič (mm ²)	0,50
Min. presjek, fleksibilni vodič (mm ²)	0,50

Tehnički podaci - nastavak

Min. poprečni presjek fleksibilni s kablskim završetkom (mm²)	0,50
Presjek (mm²)	6
Boja	siva
Nazivna struja (A)	41

Tabela artikla

OPIS	KAT. BROJ
Feed-through terminal block PT 6-TWIN BU	
Push-in connection, cross section: 0.5 - 10 mm², AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey, NS 35/7.5, NS 35/15	IP3211485
Dodatni pribor	
Koncový držák CLIPFIX 15, montáž na lištu NS 15	
sivi	IP3022263
Krajnji držač CLIPFIX 35-5 za NS 35/7,5 ili 35/15	
s mogućnošću označavanja, širina: 5, 15 mm, sivi	IP3022276
Krajnji držač CLIPFIX 35, za NS 35/7,5 il 35/15	
s mogućnošću označavanja, širina: 9,5 mm, sivi	IP3022218
Krajnji držač E/UK	
End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	IP1201442
Krajnji držač E/UK 1	
End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	IP1201413
Krajnji držač E/MBK	
Krajnji držač, Širina: 6,2 mm, Boja: siva	IP1401637
Krajnji držač E/MK 1	
Krajnji držač, Širina: 6 mm, Boja: siva	IP1421659
Krajnji držač E/NS 35 N	
Širina: 9,5 mm, Boja: siva	IP0800886
Ozn. Traka ZB 8 prazna	
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP1052002
Horizontalne oznake (1-10) za redne stezaljke širine 8.2mm	
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520151
Označna traka ZB 8, brojevi 11-20	
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520152
Označna traka ZB 8, brojevi 21-30	
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520153

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Označna traka ZB 8, brojevi 31-40	IP10520154
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 41-50	IP10520155
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 51-60	IP10520156
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 61-70	IP10520157
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 71-80	IP10520158
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 81-90	IP10520159
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 91-100	IP1052015H
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Ozn. traka ravna ZBF 8, prazna	IP0808781
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 1-10	IP08088041
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 11-20	IP08088042
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 21-30	IP08088043
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 31-40	IP08088044
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 41-50	IP08088045
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 51-60	IP08088046
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 61-70	IP08088047
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 71-80	IP08088048
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 81-90	IP08088049
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 91-100	IP0808804H
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
End cover D-PT 6-TWIN	IP3211508
End cover, length: 74 mm, width: 2.2 mm, height: 36 mm, color: grey	

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Mostić za utiskivanje FBS 2-8 Plug-in bridge, pitch: 8.2 mm, length: 29.6 mm, width: 14.7 mm, poles: 2, color: red	IP3030284
Mostić za utiskivanje FBS 3-8 Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	IP3030297
Mostić za utiskivanje FBS 4-8 Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	IP3030307
Mostić za utiskivanje FBS 5-8 Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	IP3030310
Mostić za utiskivanje FBS 10-8 Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	IP3030323
Mostić za utiskivanje FBSR 2-8 Plug-in bridge, pitch: 8.2 mm, poles: 2, color: red	IP3033808
Mostić za utiskivanje FBSR 3-8 Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	IP3001597
Most na utiskivanje FBSR 4-8 Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	IP3000585
Mostić za utiskivanje FBSR 5-8 Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	IP3033809
Mostić za utiskivanje FBSR 10-8 Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	IP3001599
Mostić za utiskivanje FBSR 16-8 Plug-in bridge, pitch: 8.2 mm, poles: 16, color: red	IP3033816
Odvijač 0,8 x 4 (SZF 2-0,8x4) Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip	IP1204520