


Tehnički list za artikl: IP3211861-

Fuse modular terminal block PT 4-HESI (5X20)

Cross section: 0.2- 6, AWG: 24 - 10, 6.3 A, 500 V, 6.2 mm, fuse-type: G / 5 x 20, fuse material: glas / ceramic, black



Tehnički podaci

Neto dubina (mm)	57,30
Neto širina (mm)	6,20
Neto visina (mm)	56,00
Neto masa (kg)	0,01
EAN	4046356482516
Disipacija snage (W)	1,60
Min. temperatura okoline (°C)	-40
Maks. temperatura okoline (°C)	120
Osnovna oznaka	Stežaljka
Sistem	Push-In
Serijski	PT
Izvedba/tip	Sigurnosne redne stezaljke
Maks. presjek, kruti vodič (mm²)	6
Maks. presjek, fleksibilni vodič (mm²)	4
Maks. presjek, savitljiva žica s ferulom (mm²)	4
Min. presjek, kruti vodič (mm²)	0,20

Tehnički podaci - nastavak

Min. presjek, fleksibilni vodič (mm²)	0,20
Min. poprečni presjek fleksibilni s kabelskim završetkom (mm²)	0,25
Presjek (mm²)	4
Boja	crna
Nazivna struja (A)	6,30

Tabela artikla

OPIS	KAT. BROJ
Fuse modular terminal block PT 4-HESI (5X20)	IP3211861
Cross section: 0.2- 6, AWG: 24 - 10, 6.3 A, 500 V, 6.2 mm, fuse-type: G / 5 x 20, fuse material: glas / ceramic, black	
Dodatni pribor	
Koncový držák CLIPFIX 15, montáž na lištu NS 15 sivi	IP3022263
Krajnji držač CLIPFIX 35-5 za NS 35/7,5 ili 35/15 s mogućnošću označavanja, širina: 5, 15 mm, sivi	IP3022276
Krajnji držač CLIPFIX 35, za NS 35/7,5 il 35/15 s mogućnošću označavanja, širina: 9,5 mm, sivi	IP3022218
Krajnji držač E/UK End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	IP1201442
Krajnji držač E/UK 1 End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	IP1201413
Krajnji držač E/MBK Krajnji držač, Širina: 6,2 mm, Boja: siva	IP1401637
Krajnji držač E/MK 1 Krajnji držač, Širina: 6 mm, Boja: siva	IP1421659
Krajnji držač E/NS 35 N Širina: 9,5 mm, Boja: siva	IP0800886
Horizontalne oznake (1-10) za redne stezaljke širine 6.2mm Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	IP10510161
Horizontalne oznake (11-20) za redne stezaljke širine 6.2mm Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	IP10510162
Označna traka ZB 6, brojevi 21-30 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	IP10510163

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Označna traka ZB 6, brojevi 31-40	IP10510164
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	
Označna traka ZB 6, brojevi 41-50	IP10510165
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	
Označna traka ZB 6, brojevi 51-60	IP10510166
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	
Označna traka ZB 6, brojevi 61-70	IP10510167
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	
Označna traka ZB 6, brojevi 71-80	IP10510168
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	
Označna traka ZB 6, brojevi 81-90	IP10510169
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	
Označna traka ZB 6, brojevi 91-100	IP1051016H
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 6.2mm, natpisno polje: 6.2 x 10.5mm	
Ozn. traka ravna ZBF 6, prazna	IP0808710
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 1-10	IP08087491
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 11-20	IP08087492
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 21-30	IP08087493
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 31-40	IP08087494
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 41-50	IP08087495
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 51-60	IP08087496
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 61-70	IP08087497
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 71-80	IP08087498
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 81-90	IP08087499
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Ozn. traka ravna ZBF 6, brojevi 91-100	IP0808749H
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Završna pločica za redne stezaljke ST 4, siva	IP3030420
Duljina: 55.9mm, širina: 2.2mm, visina: 29mm, boja: siva	

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Mostić za utiskivanje FBS 2-6 Plug-in bridge, pitch: 6.2 mm, length: 23 mm, width: 10.7 mm, poles: 2, color: red	IP3030336
Mostić za utiskivanje FBS 3-6 Plug-in bridge, pitch: 6.2 mm, length: 23 mm, width: 16,9 mm, poles: 3, color: red	IP3030242
Mostić za utiskivanje FBS 4-6 Plug-in bridge, pitch: 6.2 mm, length: 23 mm, width: 23,1 mm, poles: 4, color: red	IP3030255
Mostić za utiskivanje FBS 5-6 Plug-in bridge, pitch: 6.2 mm, length: 23 mm, width: 29.3 mm, poles: 5, color: red	IP3030349
Mostić za utiskivanje FBS 10-6 Plug-in bridge, pitch: 6.2 mm, length: 23 mm, width: 60.3 mm, poles: 10, color: red	IP3030271
Mostić za utiskivanje FBS 20-6 Plug-in bridge, pitch: 6.2 mm, length: 23 mm, width: 122.3 mm, poles: 20, color: red	IP3030365
Mostić za utiskivanje FBSR 2-6 Plug-in bridge, pitch: 6.2 mm, poles: 2, color: red	IP3033715
Mostić za utiskivanje FBSR 3-6 Plug-in bridge, pitch: 6.2 mm, poles: 3, color: red	IP3001594
Mostić za utiskivanje FBSR 4-6 Plug-in bridge, pitch: 6.2 mm, poles: 4, color: red	IP3001595
Mostić za utiskivanje FBSR 5-6 Plug-in bridge, pitch: 6.2 mm, poles: 5, color: red	IP3001596
Mostić za utiskivanje FBSR 10-6 Plug-in bridge, pitch: 6.2 mm, poles: 10, color: red	IP3033716
Odvijač 0,6 x 3,5 (SZF 1-0,6x3,5) Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip	IP1204517