


Tehnički list za artikl: IP3212120-

Feed-through terminal block PT 10

Push-in connection, cross section: 0.5 mm² - 16 mm², AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, grey



Tehnički podaci

Neto dubina (mm)	49,50
Neto širina (mm)	10,20
Neto visina (mm)	67,70
Neto masa (kg)	0,03
EAN	4046356494816
Disipacija snage (W)	1,82
Min. temperatura okoline (°C)	-40
Maks. temperatura okoline (°C)	120
Osnovna oznaka	Stezaljka
Sistem	Push-In
Seriya	PT
Izvedba/tip	Prolazne stezaljke
Maks. presjek, kruti vodič (mm ²)	16
Maks. presjek, fleksibilni vodič (mm ²)	10
Maks. presjek, savitljiva žica s ferulom (mm ²)	10
Min. presjek, kruti vodič (mm ²)	0,50
Min. presjek, fleksibilni vodič (mm ²)	0,50

Tehnički podaci - nastavak

Min. poprečni presjek fleksibilni s kablskim završetkom (mm ²)	0,50
Presjek (mm ²)	10
Boja	siva
Nazivna struja (A)	57

Tabela artikla

OPIS	KAT. BROJ
Feed-through terminal block PT 10	IP3212120
Push-in connection, cross section: 0.5 mm ² - 16 mm ² , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, grey	
Dodatni pribor	
Koncový držák CLIPFIX 15, montáž na lištu NS 15	IP3022263
sivi	
Krajnji držač CLIPFIX 35-5 za NS 35/7,5 ili 35/15	IP3022276
s mogućnošću označavanja, širina: 5, 15 mm, sivi	
Krajnji držač CLIPFIX 35, za NS 35/7,5 ili 35/15	IP3022218
s mogućnošću označavanja, širina: 9,5 mm, sivi	
Krajnji držač E/UK	IP1201442
End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	
Krajnji držač E/UK 1	IP1201413
End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	
Krajnji držač E/MBK	IP1401637
Krajnji držač, Širina: 6,2 mm, Boja: siva	
Krajnji držač E/MK 1	IP1421659
Krajnji držač, Širina: 6 mm, Boja: siva	
Krajnji držač E/NS 35 N	IP0800886
Širina: 9,5 mm, Boja: siva	
Ozn. Traka ZB 10 prazna	IP1053001
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Horizontalne oznake (1-10) za redne stezaljke širine 10.2mm	IP10530141
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 11-20	IP10530142
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 21-30	IP10530143
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Označna traka ZB 10, brojevi 31-40	IP10530144
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 41-50	IP10530145
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 51-60	IP10530146
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 61-70	IP10530147
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 71-80	IP10530148
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 81-90	IP10530149
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Označna traka ZB 10, brojevi 91-100	IP1053014H
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 10.2mm, natpisno polje: 10.5 x 10.15mm	
Ozn. traka ravna ZBF 10, prazna	IP0809997
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 1-10	IP08100091
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 11-20	IP08100092
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 21-30	IP08100093
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 31-40	IP08100094
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 41-50	IP08100095
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 51-60	IP08100096
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 61-70	IP08100097
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 71-80	IP08100098
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 81-90	IP08100099
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
Ozn. traka ravna ZBF 10, brojevi 91-100	IP0810009H
Strip, white, snap into flat marker groove, for terminal width: 10 mm, lettering field: 5.15 x 10 mm	
End cover D-PT 10	IP3212057
End cover, length: 67.7 mm, width: 2.2 mm, height: 42.6 mm, color: grey	

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Mostić za utiskivanje FBS 2-10 Plug-in bridge, pitch: 10.2 mm, poles: 2, color: red	IP3005947
Plug-in bridge FBS 5-10 Plug-in bridge, pitch: 10.2 mm, poles: 5, color: red	IP3005948
Ispitni utikač MPS-MT Test plug, color: silver	IP0201744
Izolacijska košuljica MPS-IH RD Insulation sleeve, color: red	IP0201676
Odvijač 1 x 5,5 (SZF 3-1,0x5,5) Screwdriver, slot-headed, VDE insulated, size: 1.0 x 4.0 x 100 mm, 2-component grip, with non-slip grip	IP1206612