


Tehnički list za artikl: IP3212196-

Ground modular terminal block PTMED 6-PE

Ground modular terminal, push-in connection, cross section: 0.5 mm² - 10 mm² , AWG: 20 - 10, width: 8.2 mm, green-yellow



Tehnički podaci

Neto dubina (mm)	49,60
Neto širina (mm)	8,20
Neto visina (mm)	100,80
Neto masa (kg)	0,03
EAN	4046356514958
Min. temperatura okoline (°C)	-40
Maks. temperatura okoline (°C)	120
Osnovna oznaka	Stežaljka
Sistem	Push-In
Serijski	PT
Izvedba/tip	Zaštitni vodič-Redna stežaljka
Maks. presjek, kruti vodič (mm ²)	10
Maks. presjek, fleksibilni vodič (mm ²)	6
Maks. presjek, savitljiva žica s ferulom (mm ²)	6
Min. presjek, kruti vodič (mm ²)	0,50
Min. presjek, fleksibilni vodič (mm ²)	0,50
Min. poprečni presjek fleksibilni s kabelskim završetkom (mm ²)	0,50

Tehnički podaci - nastavak

Presjek (mm²)	6
Boja	zelena

Tabela artikla

OPIS	KAT. BROJ
Ground modular terminal block PTMED 6-PE	
Ground modular terminal, push-in connection, cross section: 0.5 mm² - 10 mm², AWG: 20 - 10, width: 8.2 mm, green-yellow	IP3212196
Dodatni pribor	
Koncový držák CLIPFIX 15, montáž na lištu NS 15 sivi	IP3022263
Krajnji držač CLIPFIX 35-5 za NS 35/7,5 ili 35/15 s mogućnošću označavanja, širina: 5, 15 mm, sivi	IP3022276
Krajnji držač CLIPFIX 35, za NS 35/7,5 ili 35/15 s mogućnošću označavanja, širina: 9,5 mm, sivi	IP3022218
Krajnji držač E/UK End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	IP1201442
Krajnji držač E/UK 1 End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	IP1201413
Krajnji držač E/MBK Krajnji držač, Širina: 6,2 mm, Boja: siva	IP1401637
Krajnji držač E/MK 1 Krajnji držač, Širina: 6 mm, Boja: siva	IP1421659
Krajnji držač E/NS 35 N Širina: 9,5 mm, Boja: siva	IP0800886
Ozn. Traka ZB 8 prazna Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP1052002
Horizontalne oznake (1-10) za redne stezaljke širine 8.2mm Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520151
Označna traka ZB 8, brojevi 11-20 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520152
Označna traka ZB 8, brojevi 21-30 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520153
Označna traka ZB 8, brojevi 31-40 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520154

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Označna traka ZB 8, brojevi 41-50	IP10520155
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 51-60	IP10520156
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 61-70	IP10520157
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 71-80	IP10520158
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 81-90	IP10520159
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Označna traka ZB 8, brojevi 91-100	IP1052015H
Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	
Ozn. traka ravna ZBF 8, prazna	IP0808781
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 1-10	IP08088041
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 11-20	IP08088042
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 21-30	IP08088043
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 31-40	IP08088044
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 41-50	IP08088045
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 51-60	IP08088046
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 61-70	IP08088047
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 71-80	IP08088048
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 81-90	IP08088049
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Ozn. traka ravna ZBF 8 , brojevi 91-100	IP0808804H
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Pokrov D-DTME 6	IP3034426
End cover, length: 99,8 mm, width: 2,2 mm, height: 49,6 mm, color: grey	
Test adapter PAI-4-FIX-5/6 OG	IP3035974
Test adapter, color: orange	

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Test-adapter PAI-4-FIX-5/6 YE Test-adapter, color: yellow	IP3035977
Test-adapter PAI-4-FIX-5/6 GN Test-adapter, color: green	IP3035978
Test-adapter PAI-4-FIX-5/6 VT Test-adapter, color: violett	IP3035979
Test-adapter PAI-4-FIX-5/6 BK Test-adapter, color: black	IP3035980
Test-adapter PAI-4-FIX-5/6 BU Test-adapter, color: blue	IP3035975
Test-adapter PAI-4-FIX-5/6 RD Test-adapter, color: red	IP3035976
Test-adapter PAI-4-FIX-5/6 GY Test-adapter, color: grey	IP3035982
Test-adapter PAI-4-FIX-5/6 BN Test-adapter, color: brown	IP3035981
Blokada uklopa S-ME6 Switching lock, length: 12 mm, width: 8,2 mm, color: white	IP3034439
Mostić SB-ME 2-8 Switching jumper, pitch: 8,2 mm, length: 24,7 mm, width: 16,4 mm, poles: 2, color: grey/orange	IP3034468
Switching jumper SB-ME 3-8 Switching jumper, modular dimensions: 8.2 mm, length: 24.7 mm, width: 24.6 mm, poles: 3, color: grey/orange	IP3032800
Uklopna poluga C-ME 6/2 Switching lever, length: 5 mm, width: 16 mm, height: 5 mm, poles: 2, color: orange	IP3034442
Operating lever C-ME 6/3 Operation lever, length: 5 mm, width: 24.1 mm, height: 5 mm, poles: 3, color: orange	IP3034390