


Tehnički list za artikl: IP3212934-

Feed-through terminal block PT 6-QUATTRO

Push-in connection, cross section: 0.5 mm² - 10 mm², AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey



Tehnički podaci

Neto dubina (mm)	42,20
Neto širina (mm)	8,20
Neto visina (mm)	90,50
Neto masa (kg)	0,03
EAN	4046356538121
Disipacija snage (W)	1,31
Min. temperatura okoline (°C)	-40
Maks. temperatura okoline (°C)	120
Osnovna oznaka	Stezaljka
Sistem	Push-In
Seriya	PT
Izvedba/tip	Prolazne stezaljke
Maks. presjek, kruti vodič (mm ²)	10
Maks. presjek, fleksibilni vodič (mm ²)	6
Maks. presjek, savitljiva žica s ferulom (mm ²)	6
Min. presjek, kruti vodič (mm ²)	0,50
Min. presjek, fleksibilni vodič (mm ²)	0,50

Tehnički podaci - nastavak

Min. poprečni presjek fleksibilni s kablskim završetkom (mm ²)	0,50
Presjek (mm ²)	6
Boja	siva
Nazivna struja (A)	41

Tabela artikla

OPIS	KAT. BROJ
Feed-through terminal block PT 6-QUATTRO	IP3212934
Push-in connection, cross section: 0.5 mm ² - 10 mm ² , AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey	
Dodatni pribor	
Koncový držák CLIPFIX 15, montáž na lištu NS 15 sivi	IP3022263
Krajnji držač CLIPFIX 35-5 za NS 35/7,5 ili 35/15 s mogućnošću označavanja, širina: 5, 15 mm, sivi	IP3022276
Krajnji držač CLIPFIX 35, za NS 35/7,5 il 35/15 s mogućnošću označavanja, širina: 9,5 mm, sivi	IP3022218
Krajnji držač E/UK End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	IP1201442
Krajnji držač E/UK 1 End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	IP1201413
Krajnji držač E/MBK Krajnji držač, Širina: 6,2 mm, Boja: siva	IP1401637
Krajnji držač E/MK 1 Krajnji držač, Širina: 6 mm, Boja: siva	IP1421659
Krajnji držač E/NS 35 N Širina: 9,5 mm, Boja: siva	IP0800886
Ozn. Traka ZB 8 prazna Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP1052002
Horizontalne oznake (1-10) za redne stezaljke širine 8.2mm Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520151
Označna traka ZB 8, brojevi 11-20 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520152
Označna traka ZB 8, brojevi 21-30 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520153

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Označna traka ZB 8, brojevi 31-40 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520154
Označna traka ZB 8, brojevi 41-50 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520155
Označna traka ZB 8, brojevi 51-60 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520156
Označna traka ZB 8, brojevi 61-70 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520157
Označna traka ZB 8, brojevi 71-80 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520158
Označna traka ZB 8, brojevi 81-90 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP10520159
Označna traka ZB 8, brojevi 91-100 Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 8.2mm, natpisno polje: 10.5 x 8.15mm	IP1052015H
Ozn. traka ravna ZBF 8, prazna Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP0808781
Ozn. traka ravna ZBF 8, brojevi 1-10 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088041
Ozn. traka ravna ZBF 8, brojevi 11-20 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088042
Ozn. traka ravna ZBF 8, brojevi 21-30 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088043
Ozn. traka ravna ZBF 8, brojevi 31-40 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088044
Ozn. traka ravna ZBF 8, brojevi 41-50 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088045
Ozn. traka ravna ZBF 8, brojevi 51-60 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088046
Ozn. traka ravna ZBF 8, brojevi 61-70 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088047
Ozn. traka ravna ZBF 8, brojevi 71-80 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088048
Ozn. traka ravna ZBF 8, brojevi 81-90 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088049
Ozn. traka ravna ZBF 8, brojevi 91-100 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP0808804H
	IP3212963

Tabela artikla

OPIS	KAT. BROJ
Dodatni pribor	
Mostić za utiskivanje FBS 2-8 Plug-in bridge, pitch: 8.2 mm, length: 29.6 mm, width: 14.7 mm, poles: 2, color: red	IP3030284
Mostić za utiskivanje FBS 3-8 Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	IP3030297
Mostić za utiskivanje FBS 4-8 Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	IP3030307
Mostić za utiskivanje FBS 5-8 Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	IP3030310
Mostić za utiskivanje FBS 10-8 Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	IP3030323
Mostić za utiskivanje FBSR 2-8 Plug-in bridge, pitch: 8.2 mm, poles: 2, color: red	IP3033808
Mostić za utiskivanje FBSR 3-8 Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	IP3001597
Most na utiskivanje FBSR 4-8 Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	IP3000585
Mostić za utiskivanje FBSR 5-8 Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	IP3033809
Mostić za utiskivanje FBSR 10-8 Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	IP3001599
Mostić za utiskivanje FBSR 16-8 Plug-in bridge, pitch: 8.2 mm, poles: 16, color: red	IP3033816
Odvijač 0,8 x 4 (SZF 2-0,8x4) Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip	IP1204520