

Tehnički list za artikl: IP3248101 -

# Mini-Feed-through terminal block MPT 1,5/S BU

Mini-Push-in connection, cross section: 0.14 mm<sup>2</sup> - 1.5 mm<sup>2</sup>, AWG: 26 - 14, width: 3.5 mm, color: blue, mounting: NS 15



## Tehnički podaci

|                                                             |                    |
|-------------------------------------------------------------|--------------------|
| Neto dubina (mm)                                            | 28,10              |
| Neto širina (mm)                                            | 3,50               |
| Neto visina (mm)                                            | 33,55              |
| EAN                                                         | 4046356768702      |
| Disipacija snage (W)                                        | 0,56               |
| Min. temperatura okoline (°C)                               | -40                |
| Maks. temperatura okoline (°C)                              | 120                |
| Osnovna oznaka                                              | Stezaljka          |
| Sistem                                                      | Push-In            |
| Serija                                                      | PT                 |
| Izvedba/tip                                                 | Prolazne stezaljke |
| Maks. presjek, kruti vodič (mm <sup>2</sup> )               | 1,50               |
| Maks. presjek, fleksibilni vodič (mm <sup>2</sup> )         | 1,50               |
| Maks. presjek, savitljiva žica s ferulom (mm <sup>2</sup> ) | 1                  |
| Min. presjek, kruti vodič (mm <sup>2</sup> )                | 0,14               |
| Min. presjek, fleksibilni vodič (mm <sup>2</sup> )          | 0,14               |

## Tehnički podaci - nastavak

|                                                                            |       |
|----------------------------------------------------------------------------|-------|
| Min. poprečni presjek fleksibilni s kablskim završetkom (mm <sup>2</sup> ) | 0,14  |
| Presjek (mm <sup>2</sup> )                                                 | 1,5   |
| Boja                                                                       | plava |
| Nazivna struja (A)                                                         | 17,50 |

## Tabela artikla

| OPIS                                                                                                                                                              | KAT. BROJ  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Mini-Feed-through terminal block MPT 1,5/S BU                                                                                                                     | IP3248101  |
| Mini-Push-in connection, cross section: 0.14 mm <sup>2</sup> - 1.5 mm <sup>2</sup> , AWG: 26 - 14, width: 3.5 mm, color: blue, mounting: NS 15                    |            |
| <b>Dodatni pribor</b>                                                                                                                                             |            |
| Koncový držák CLIPFIX 15, montáž na lištu NS 15<br>sivi                                                                                                           | IP3022263  |
| Krajnji držač CLIPFIX 35-5 za NS 35/7,5 ili 35/15<br>s mogućnošću označavanja, širina: 5, 15 mm, sivi                                                             | IP3022276  |
| Krajnji držač CLIPFIX 35, za NS 35/7,5 ili 35/15<br>s mogućnošću označavanja, širina: 9,5 mm, sivi                                                                | IP3022218  |
| Krajnji držač E/UK<br>End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray                                                                     | IP1201442  |
| Krajnji držač E/UK 1<br>End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray                            | IP1201413  |
| Krajnji držač E/MBK<br>Krajnji držač, Širina: 6,2 mm, Boja: siva                                                                                                  | IP1401637  |
| Krajnji držač E/MK 1<br>Krajnji držač, Širina: 6 mm, Boja: siva                                                                                                   | IP1421659  |
| Krajnji držač E/NS 35 N<br>Širina: 9,5 mm, Boja: siva                                                                                                             | IP0800886  |
| Ozn. Traka ZB 3,5 prazna<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm                                | IP0829414  |
| Horizontalne oznake (1-10) za redne stezaljke širine 5.2mm<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 3.5mm, natpisno polje: 3.5 x 10.5mm | IP08014041 |
| Označna traka ZB 3,5 brojevi 11-20<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm                      | IP08014042 |
| Označna traka ZB 3,5 brojevi 21-30<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm                      | IP08014043 |

## Tabela artikla

| OPIS                                                                                                                                            | KAT. BROJ  |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Dodatni pribor</b>                                                                                                                           |            |
| Označna traka ZB 3,5 brojevi 31-40<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm    | IP08014044 |
| Označna traka ZB 3,5 brojevi 41-50<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm    | IP08014045 |
| Označna traka ZB 3,5 brojevi 51-60<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm    | IP08014046 |
| Označna traka ZB 3,5 brojevi 61-70<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm    | IP08014047 |
| Označna traka ZB 3,5 brojevi 71-80<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm    | IP08014048 |
| Označna traka ZB 3,5 brojevi 81-90<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm    | IP08014049 |
| Označna traka ZB 3,5 brojevi 91-100<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm   | IP0801404H |
| Ozn. Traka ravna ZBF 3,5 prazna<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm        | IP0829392  |
| Ozn.traka ravna ZBF 3,5 brojevi 1-10<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm   | IP08014061 |
| Ozn.traka ravna ZBF 3,5 brojevi 11-20<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014062 |
| Ozn.traka ravna ZBF 3,5 brojevi 21-30<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014063 |
| Ozn.traka ravna ZBF 3,5 brojevi 31-40<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014064 |
| Ozn.traka ravna ZBF 3,5 brojevi 41-50<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014065 |
| Ozn.traka ravna ZBF 3,5 brojevi 51-60<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014066 |
| Ozn.traka ravna ZBF 3,5 brojevi 61-70<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014067 |
| Ozn.traka ravna ZBF 3,5 brojevi 71-80<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014068 |
| Ozn.traka ravna ZBF 3,5 brojevi 81-90<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  | IP08014069 |
| Ozn.traka ravna ZBF 3,5 brojevi 91-100<br>Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm | IP0801406H |
| End cover D-MPT 1,5/S<br>End cover, length: 33.6 mm, width: 2.2 mm, height: 22.3 mm, color: grey                                                | IP3248120  |

## Tabela artikla

| OPIS                                                                                                                                                                                      | KAT. BROJ |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>Dodatni pribor</b>                                                                                                                                                                     |           |
| Mostić FBS 2-3,5<br>Plug-in bridge, pitch: 3.5 mm, poles: 2, color: red                                                                                                                   | IP3213014 |
| Mostić FBS 3-3,5<br>Plug-in bridge, pitch: 3.5 mm, poles: 3, color: red                                                                                                                   | IP3213027 |
| Plug-in bridge FBS 4-3,5<br>Plug-in bridge, pitch: 3.5 mm, poles: 4, color: red                                                                                                           | IP3213030 |
| Plug-in bridge FBS 5-3,5<br>Plug-in bridge, pitch: 3.5 mm, poles: 5, color: red                                                                                                           | IP3213043 |
| Mostić FBS 10-3,5<br>Plug-in bridge, pitch: 3.5 mm, poles: 10, color: red                                                                                                                 | IP3213056 |
| Plug-in bridge FBS 20-3,5<br>Plug-in bridge, pitch: 3.5 mm, poles: 20, color: red                                                                                                         | IP3213069 |
| Plug-in bridge FBS 20-3,5<br>Plug-in bridge, pitch: 3.5 mm, poles: 20, color: red                                                                                                         | IP3213069 |
| Odvijač 0,4 x 2,5 (SZF 0-0,4x2,5)<br>Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.4 x 2.5 x 75 mm, 2-component grip, with non-slip grip | IP1204504 |
| Ispitni utikač MPS-MT<br>Test plug, color: silver                                                                                                                                         | IP0201744 |
| Izolacijska košuljica MPS-IH RD<br>Insulation sleeve, color: red                                                                                                                          | IP0201676 |