

Tehnički list za artikl: ISA05362--

# NV rastavljačka pruga ARROW BLACK vel 2, 3P, 400A


185mm sabirnički sustav, M 12, varijanta za integraciju strujnog transformatora



## Tehnički podaci

|                                |                                                        |
|--------------------------------|--------------------------------------------------------|
| Disipacija snage (W)           | 52,00                                                  |
| Min. temperatura okoline (°C)  | -25                                                    |
| Maks. temperatura okoline (°C) | 70                                                     |
| Neto širina (mm)               | 100,00                                                 |
| Neto visina (mm)               | 664,00                                                 |
| Neto dubina (mm)               | 196,00                                                 |
| Neto masa (kg)                 | 4,79                                                   |
| Dodatni pribor                 | ISA05365--;ISA05366--;ISA05367--;ISA05369-A;ISA05376-- |

**Mjerne skice: NV rastavljačka pruga ARROW BLACK vel 2, 3P, 400A**



[mm]

## Tabela artikla

| OPIS                                                                                                                                                                                                                                                             | MASA BAKRA (kg/km) | KAT. BROJ  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------|
| NV rastavljačka pruga ARROW BLACK vel 2, 3P, 400A<br>185mm sabirnički sustav, M12, varijanta za integraciju strujnog transformatora                                                                                                                              |                    | ISA05362   |
| <b>Dodatni pribor</b>                                                                                                                                                                                                                                            |                    |            |
| Strujni transformator 150A za ARROW BLACK vel.:1-3, prolazni<br>Struja primara 150A, struja sekundara 5A, klasa točnosti 1, disip. 3,75VA, nebaždaren, za ARROW BLACK rastavne pruge vel: 1-3                                                                    |                    | ISA05365   |
| Strujni transformator 250A za ARROW BLACK vel.:1-3, prolazni<br>Struja primara 250A, struja sekundara 5A, klasa točnosti 1, disip. 3,75VA, nebaždaren, za ARROW BLACK rastavne pruge vel: 1-3                                                                    |                    | ISA05366   |
| Strujni transformator 400A za ARROW BLACK vel.:1-3, prolazni<br>Struja primara 400A, struja sekundara 5A, klasa točnosti 1, disip. 3,75VA, nebaždaren, za ARROW BLACK rastavne pruge vel: 1-3                                                                    |                    | ISA05367   |
| ARROW BLACK kit for CT wiring with terminal block, size 1-3<br>Kit for CT wiring with terminal block, for mounting size 1-3, for installation of current transformers mounting at top side of NH-strip-type fuse-switch-disconnectors, 6pole, 2.5mm <sup>2</sup> | 0,032              | ISA05369-A |
| Busbar terminal for holeless mounting<br>For holeless mounting of NH fuse load switchbars ARROW BLACK sizes 1, 2, 3 on 185mm busbar systems; three pieces are required per switch                                                                                |                    | ISA05376   |