

Tehnički list za artikl: ISA05363--

NV rastavljačka pruga ARROW BLACK vel 3, 3P, 600A


185mm sabirnički sustav, M 12, varijanta za integraciju strujnog transformatora



Tehnički podaci

Disipacija snage (W)	110,00
Min. temperatura okoline (°C)	-25
Maks. temperatura okoline (°C)	70
Neto širina (mm)	100,00
Neto visina (mm)	664,00
Neto dubina (mm)	196,00
Neto masa (kg)	5,37
Dodatni pribor	ISA05367--;ISA05368--;ISA05369-A;ISA05376--

Mjerne skice: NV rastavljačka pruga ARROW BLACK vel 3, 3P, 600A



[mm]

Tabela artikla

OPIS	MASA BAKRA (kg/km)	KAT. BROJ
NV rastavljačka pruga ARROW BLACK vel 3, 3P, 600A 185mm sabirnički sustav, M12, varijanta za integraciju strujnog transformatora		ISA05363
Dodatni pribor		
Strujni transformator 400A za ARROW BLACK vel.: 1-3, prolazni Struja primara 400A, struja sekundara 5A, klasa točnosti 1, disip. 3,75VA, nebaždaren, za ARROW BLACK rastavne pruge vel: 1-3		ISA05367
Strujni transformator 600A za ARROW BLACK vel.: 1-3, prolazni Struja primara 600A, struja sekundara 5A, klasa točnosti 1, disip. 3,75VA, nebaždaren, za ARROW BLACK rastavne pruge vel: 1-3		ISA05368
ARROW BLACK kit for CT wiring with terminal block, size 1-3 Kit for CT wiring with terminal block, for mounting size 1-3, for installation of current transformers mounting at top side of NH-strip-type fuse-switch-disconnectors, 6pole, 2.5mm ²	0,032	ISA05369-A
Busbar terminal for holeless mounting For holeless mounting of NH fuse load switchbars ARROW BLACK sizes 1, 2, 3 on 185mm busbar systems; three pieces are required per switch		ISA05376