

Tehnički list za artikl: IU008530--

# Svjetiljka za ormar, magnet IP20, utičnica, 11W

štedna žaruljica 2G7/, 900lm, 10.000h



## SCHRACK info

- Slim design
- Excellent for cabinets and enclosures with high component density
- Magnetic fastening
- Can be mounted freely in any desired position in metal enclosures
- Electrical socket
- On/Off switch
- Includes energy saver bulb 11W (2G7)
- Long service life (10.000h)
- Also available:

**IU008518:** With screw fastening and socket

**IU008531:** With magnetic fastening and socket type E (for France, Belgium, Poland, Czech Republic and Slovakia)




## Tehnički podaci

|                  |        |
|------------------|--------|
| Neto širina (mm) | 345,00 |
|------------------|--------|

## Tehnički podaci - nastavak

|                                                     |                               |
|-----------------------------------------------------|-------------------------------|
| Neto visina (mm)                                    | 40,00                         |
| Neto dubina (mm)                                    | 91,00                         |
| Neto masa (kg)                                      | 0,50                          |
| Min. temperatura okoline (°C)                       | -20                           |
| Maks. temperatura okoline (°C)                      | 50                            |
| Materijal                                           | Plastika                      |
| Boja                                                | RAL 7035 (svijetlo siva)      |
| Visina (mm)                                         | 40                            |
| Dubina (mm)                                         | 91                            |
| IP stupanj zaštite                                  | IP20                          |
| Klasa zaštite                                       | I                             |
| Širina (mm)                                         | 345                           |
| Nazivni napon                                       | 230V-AC                       |
| Tip                                                 | Svjetiljke za ormare          |
| Nazivna struja (A)                                  | 16                            |
| Tip priključka                                      | Vijčana stezaljka             |
| Način pričvršćenja                                  | Magnetski                     |
| MOment pritezanja (Nm)                              | 0,8                           |
| Način ugradnje                                      | Vertikalno / Horizontalno     |
| Temperaturno područje - Pogon (°C)                  | -20 do +50                    |
| Temperaturno područje - Transport/Skladištenje (°C) | -45 to +70                    |
| Vlažnost zraka (%)                                  | max. 90                       |
| Izvor svjetla                                       | Energy saver bulb, socket 2G7 |
| Vlastita potrošnja                                  | 11W                           |
| Svjetlosni tok (lm)                                 | 900                           |
| Životni vijek                                       | 10.000h                       |

## Dimension drawing



OPIS

KAT. BROJ

Svjetiljka za ormar, magnet IP20, utičnica, 11W  
štedna žarulja 2G/, 900lm, 10.000h

IU008530