

Tehnički list za artikl: LID10630--

Robin-II-Q/A1 75W GU10 AR111, 100-240V, IP20, sive boje

12 WALL & CEILING



Info o proizvodu

75w R111 GU10 Die Cast Adjustable Ceiling Light, IP20. _x000D_ _x000D_ Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Neto duljina (mm)	120,00
Neto širina (mm)	120,00
Neto visina (mm)	130,00
Neto promjer (mm)	120,00
Neto masa (kg)	0,09
Vrsta svjetiljke	Stropne svjetiljke Zidna svjetiljka
Način montaže	Stropna nadgradna
Boja	siva
Materijal	Aluminij tlačni lijev
Radni napon AC (V)	100-240
Ulazni napon AC (V)	100-240

Tehnički podaci - nastavak

Izvor svjetla	LED Retrofit MR16
Grlo	GU10
Snaga (W)	75
Broj svjetiljki	1
Dimabilno	Da
Klasa zaštite	I
IP stupanj zaštite	IP20
inkl.rasvjetno tijelo	ne
ØxV mm	120x130
(DxŠxV) mm	120x120x130
Duljina (mm)	120
Visina (mm)	130
Dodatni pribor	LID 12191--;LID 12192--;LID 13750--;LID 16949--;LID 13106--

Tabela artikla

OPIS	KAT. BROJ
Robin-II-Q/A1 75W GU10 AR111, 100-240V, IP20, sive boje 12 WALL & CEILING	LID10630
Dodatni pribor	
LED žarulje 13W GU10 AR111 1200lm 4000K CRI80 230V 45° 25 LAMPS	LID12191
LED žarulje 13W GU10 AR111 1200lm 3000K CRI80 230V 45° 25 LAMPS	LID12192
LED žarulje 15W GU10 AR111 1200lm 3000K CRI80 230V 45° dim. 25 LAMPS	LID13750
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949
Panik modul za GU10 LED 3-8,5W 3h This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS	LID13106