



Tehnički list za artikl: LID13165--

Plano Square LED Plafo, 30W, 3000K, 1957lm, IP40, bijela **ECONOMY**

14 PLAFO



Krivulja raspodjele svjetla



Info o proizvodu

30W LED slim plafo light, IP40, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci


Svjetlosni tok (lm)

2550

Tehnički podaci - nastavak

Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Životni vijek	30.000h
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP40
Vrsta svjetiljke	Stropne nadgradne svjetiljke
inkl.rasvjetno tijelo	da
Broj svjetiljki	1
Grlo	LED Platine
Kut svjetlosti (°)	110°
Efikasnost sustava (lm/W)	72
Faktor snage	0,9
Snaga (W)	30
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	1000
Ulazna struja (A)	1
Izlazna struja (A)	1
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	bijela
Materijal	Aluminij tlačni lijev
Pokrov	Opal
Duljina (mm)	300
Širina (mm)	300
Visina (mm)	39
Dodatni pribor	LID16949--
(DxŠxV) mm	300x300x39

Mjerne skice: Plano Square LED Plaf, 30W, 3000K, 1957lm, IP40, bijela



Mjerne skice: Plano Square LED Plafo, 30W, 3000K, 1957lm, IP40, bijela

Tabela artikla

OPIS	KAT. BROJ
Plano Square LED Plafo, 30W, 3000K, 1957lm, IP40, bijela 14 PLAFO	LID13165
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949