



Tehnički list za artikl: LID13443--

Ina-R/A1 LED 12W 3000K

1100lm, dimabilna, 700mA, IP20, aluminij

04 REC SPOTS ADJ LED



Info o proizvodu

12W COB LED Recessed Adjustable Spot. Requires 700mA driver. Complies with standard EN60598-1 and any other specific standards

Tehnički podaci

Svjetlosni tok (lm)	1100
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ovisi o driveru Da
Klasa zaštite	III
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne ugradne svjetiljke
inkl.rasvjetno tijelo	da
Broj svjetiljki	1
Grlo	LED Platine
Kut svjetlosti (°)	38

Tehnički podaci - nastavak

Efikasnost sustava (lm/W)	91
Snaga (W)	12
Pogonski uređaj	Needs to be ordered separately
Pogonska struja mA (mA)	700
Ulazna struja (A)	0,70
Način montaže	Stropna ugradna
Otvor (mm)	Ø 78
Ugradna dubina (mm)	90
Boja	alu
Materijal	Aluminij
Visina (mm)	85
Promjer (mm)	85
Dodatni pribor	LID 13081 --
Potrebni pribor	LID 13081 --;
ØxV mm	85x85
OTVOR mm	Ø 78

Tabela artikla

OPIS	KAT. BROJ
Ina-R/A1 LED 12W 3000K 1100lm,dimabilna,700mA,IP20,aluminij 04 REC SPOTS ADJ LED	LID13443
Potrebni pribor	
LED Driver 700mA, 7-15W, ulaz 220-240V 23 DRIVERS	LID13081
Dodatni pribor	
LED Driver 700mA, 7-15W, ulaz 220-240V 23 DRIVERS	LID13081