

Tehnički list za artikl: LID13601--

Mary-R LED 12W 4000K 900lm, dim., 350mA, IP20, bijele b.

06 DOWNLIGHT FIX LED



Info o proizvodu

12W SMD LED Dark Light recessed spot IP20._x000D_ Requires 350mA driver._x000D_ Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	900
Boja svjetla	Hladno bijela
Temperatura boje (K)	4000
Faktor uzvrata boje	≥80
Životni vijek	35.000h
Dimabilno	Ovisi o driveru Da
Klasa zaštite	III
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne ugradne svjetiljke
inkl.rasvjetno tijelo	da
Broj svjetiljki	1
Grlo	LED Platine

Tehnički podaci - nastavak

Kut svjetlosti (°)	100
Snaga (W)	12
Pogonski uređaj	LED Driver
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	350
Izlazna struja (A)	0,70
Način montaže	Stropna ugradna
Ugradna dubina (mm)	160
Boja	bijela
Materijal	Plastika
Pokrov	Proziran
Visina (mm)	125
Promjer (mm)	188
Dodatni pribor	LID 12540--; LID 16949--
ØxV mm	188x125
Snaga (W)	12

Tabela artikla

OPIS	KAT. BROJ
Mary-R LED 12W 4000K 900lm, dim., 350mA, IP20, bijele b. 06 DOWNLIGHT FIX LED	LID13601
Dodatni pribor	
LED Driver 350mA, 7-15W 23 DRIVERS	LID12540
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949