


Tehnički list za artikl: LID13625--

Theia-R LED 20W 3000K 1600lm, IP54, antracit

stropna svjetiljka



Krivulja raspodjele svjetla



Info o proizvodu


20W LED slim plafo, IP54, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	1600
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80

Tehnički podaci - nastavak

Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP54
Vrsta svjetiljke	Stropne nadgradne svjetiljke
inkl.rasvjetno tijelo	da
Broj svjetiljki	1
Grlo	LED Platine
Kut svjetlosti (°)	120°
Efikasnost sustava (lm/W)	75
Faktor snage	0,9
Snaga (W)	20
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	550
Ulazna struja (A)	0,50
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	antracit
Materijal	Aluminij tlačni lijev
Visina (mm)	46
Promjer (mm)	238
Dodatni pribor	LID16949--
ØxV mm	238x46

Mjerne skice: Theia-R LED 20W 3000K 1600lm, IP54, antracit

238mm



46mm

Tabela artikla

OPIS	KAT. BROJ
Theia-R LED 20W 3000K 1600lm, IP54, antracit stropna svjetiljka	LID13625
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949