

Tehnički list za artikl: LID13663--

Marra LED traka 14,4W/m 3000K 980lm/m, dimabilna, IP68

LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES



Info o proizvodu

Waterproof flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥90
Životni vijek	30.000h
Dimabilno	Ovisi o driveru Da
Klasa zaštite	III
IP stupanj zaštite	IP68
KEU	G
Energetska klasa	G
Vrsta svjetiljke	LED traka
inkl.rasvjetno tijelo	da

Tehnički podaci - nastavak

Grlo	LED Platine
Efikasnost sustava (lm/W)	72
Pogonski uređaj	Needs to be ordered separately
Radni napon DC (V)	24
Ulazni napon DC (V)	24
Način montaže	Podna Stropna nadgradna Zidna nadgradna
Materijal	Silikon
Duljina (mm)	5000
Širina (mm)	10
Dodatni pribor	LID16631--
Svjetlosni tok /m (lm/m)	1050

Tabela artikla

OPIS	KAT. BROJ
Marra LED traka 14,4W/m 3000K 980lm/m, dimabilna, IP68 LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES	LID13663
Dodatni pribor	
Montažni nosač za LID16609 08 STRIPS & PROFILES	LID16631