

Tehnički list za artikl: LID13809--

Cube-CL-Q 75W E27 PAR30, 100-240V, IP54, antracit

Outdoor Ceiling luminaire; 12 WALL & CEILING



Info o proizvodu

75W PAR30 E27 Die Cast, PAR30 Outdoor Cubes. Complies with standard EN60598-1 and any other specific standards

Tehnički podaci

Dimabilno	Ovisi o žarulji Da
Klasa zaštite	I
IP stupanj zaštite	IP54
Vrsta svjetiljke	Stropne nadgradne svjetiljke
Izvor svjetla	LED Retrofit
inkl.rasvjetno tijelo	ne
Broj svjetiljki	1
Grlo	E27
Snaga (W)	20
Radni napon AC (V)	100-240
Ulazni napon AC (V)	100-240
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna

Tehnički podaci - nastavak

Boja	antracit
Materijal	Aluminij tlačni lijev
Duljina (mm)	108
Širina (mm)	108
Visina (mm)	140
Dodatni pribor	LIMD0027--;LID13012--;LID14500--;LID16949--;LID13106--
(DxŠxV) mm	108x108x140

Tabela artikla

OPIS	KAT. BROJ
Cube-CL-Q 75W E27 PAR30, 100-240V, IP54, antracit Outdoor Ceiling luminaire; 12 WALL & CEILING	LID13809
Dodatni pribor	
LED Classic SENSOR 8,8W 4000K 806lm E27 A60 270° integriran senzor dnevne svjetlosti	LIMD0027
LED žarulja, mat, E27, 10,5W, 2700K, 806lm 25 LAMPS	LID13012
LED žarulja PAR30, 10W, E27, 4000K, 750lm, 230V, 40° 25 LAMPS	LID14500
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949
Panik modul za GU10 LED 3-8,5W 3h This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS	LID13106