

Tehnički list za artikl: LID13877--

RFB LED 18W, 3000K, 1350lm, 100-240V, IP54, pc, bijele boje **ECONOMY**

LED wall, ceiling lamp; 14 PLAFO



Info o proizvodu

18W LED slim plafo, IP54, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Svjetlosni tok (lm)	1350
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP54
Vrsta svjetiljke	LED plafonjera
inkl.rasvjetno tijelo	da
Broj svjetiljki	1

Tehnički podaci - nastavak

Grlo	LED Platine
Kut svjetlosti (°)	120°
Efikasnost sustava (lm/W)	75
Faktor snage	0,9
Snaga (W)	18
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	bijela
Materijal	PC
Visina (mm)	42
Promjer (mm)	300
Dodatni pribor	LID16949--
ØxV mm	300x42

Mjerne skice: RFB LED 18W, 3000K, 1350lm, 100-240V, IP54, pc, bijele boje




Tabela artikla

OPIS	KAT. BROJ
RFB LED 18W, 3000K, 1350lm, 100-240V, IP54, pc, bijele boje LED wall, ceiling lamp; 14 PLAFO	LID13877
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949