



Tehnički list za artikl: LID13889--

Aline-R LED 7W 3000K 500lm, IP54, bijele boje **ECONOMY**

Bathroom Downlights; 06 DOWNLIGHT FIX LED



Info o proizvodu

7W LED recessed downlight, IP54. Suitable for bathroom installations. Supplied with non-dimmable LED 180mA driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Tehnički podaci - nastavak

Svjetlosni tok (lm)	500
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Životni vijek	40.000h
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP54
Vrsta svjetiljke	Stropne ugradne svjetiljke
inkl.rasvjetno tijelo	da
Broj svjetiljki	1
Grlo	LED Platine
Kut svjetlosti (°)	90
Efikasnost sustava (lm/W)	71
Faktor snage	0,9
Snaga (W)	7
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Stropna ugradna
Otvor (mm)	Ø 65
Ugradna dubina (mm)	70
Boja	bijela
Materijal	Plastika Aluminij tlačni lijev
Visina (mm)	45
Promjer (mm)	80
Dodatni pribor	LID 16949--
ØxV mm	80x45
OTVOR mm	Ø 65

Mjerne skice: Aline-R LED 7W 3000K 500lm, IP54, bijele boje



Tabela artikla

OPIS	KAT. BROJ
Aline-R LED 7W 3000K 500lm, IP54, bijele boje Bathroom Downlights; 06 DOWNLIGHT FIX LED	LID13889
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949