

Tehnički list za artikl: LID14150--

Mark LED, 7W, 230V, 490lm, 3000K, 120°, IP20, bijele boje

Ceiling-recessed spotlight; 06 DOWNLIGHT FIX LED



Info o proizvodu

7W SMD LED recessed downlight, budget range, IP20._x000D_ Complete with 250mA driver._x000D_ Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	490
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne ugradne svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Kut svjetlosti (°)	120°
Efikasnost sustava (lm/W)	70
Faktor snage	0,5

Tehnički podaci - nastavak

Snaga (W)	7
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Stropna ugradna
Otvor (mm)	Ø 85
Ugradna dubina (mm)	60
Boja	bijela
Materijal	Aluminij
Visina (mm)	42
Promjer (mm)	116
Dodatni pribor	LID16949--
ØxV mm	116x42
OTVOR mm	Ø 85

Mjerne skice: Mark LED, 7W, 230V, 490lm, 3000K, 120°, IP20, bijele boje



Tabela artikla

OPIS	KAT. BROJ
Mark LED, 7W, 230V, 490lm, 3000K, 120°, IP20, bijele boje Ceiling-recessed spotlight; 06 DOWNLIGHT FIX LED	LID14150
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949