

Tehnički list za artikl: LID14152--

Mark LED, 15W, 230V, 1100lm, 4000K, 120°, IP20, bijele boje

06 DOWNLIGHT FIX LED



Info o proizvodu

15W SMD LED recessed downlight, budget range, IP20._x000D_ Complete with 300mA driver._x000D_ Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	1100
Boja svjetla	Hladno bijela
Temperatura boje (K)	4000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne ugradne svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Kut svjetlosti (°)	120°
Efikasnost sustava (lm/W)	73
Faktor snage	0,95

Tehnički podaci - nastavak

Snaga (W)	15
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	300
Frekvencija (Hz)	50/60
Način montaže	Stropna ugradna
Otvor (mm)	Ø 130
Ugradna dubina (mm)	60
Boja	bijela
Materijal	Aluminij
Visina (mm)	43
Promjer (mm)	160
Dodatni pribor	LID16949--
ØxV mm	160x43
OTVOR mm	Ø 130

Mjerne skice: Mark LED, 15W, 230V, 1100lm, 4000K, 120°, IP20, bijele boje



Tabela artikla

OPIS	KAT. BROJ
Mark LED, 15W, 230V, 1100lm, 4000K, 120°, IP20, bijele boje 06 DOWNLIGHT FIX LED	LID14152
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949