

Tehnički list za artikl: LID14261--

Lomo-CL SMD LED 42W, 3000K, 2520lm, 230V 120° IP20, antracit

Ceiling luminaire; 14 PLAFO



Info o proizvodu

42W LED Decorative Plafo, IP20, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	3570
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne nadgradne svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Kut svjetlosti (°)	120°
Efikasnost sustava (lm/W)	85
Faktor snage	0,9

Tehnički podaci - nastavak

Snaga (W)	42
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	1050
Ulazna struja (A)	1,05
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	antracit
Materijal	Aluminij
Visina (mm)	132
Promjer (mm)	600
Dodatni pribor	LID16949--
ØxV mm	600x132

Mjerne skice: Lomo-CL SMD LED 42W, 3000K, 2520lm, 230V 120° IP20, antracit



Tabela artikla

OPIS	KAT. BROJ
Lomo-CL SMD LED 42W, 3000K, 2520lm, 230V 120° IP20, antracit Ceiling luminaire; 14 PLAFO	LID14261
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949