

Tehnički list za artikl: LID14358--

Theia LED 1W, 230V, 3h trajni spoj, IP44, bijele boje

Emergency Lights, wall,-ceiling mounted; 22 EMERGENCY LIGHTS



Info o proizvodu

1W Emergency LED ceiling Plexiglass Exit sign._x000D_ Supplied with non-dimmable LED driver._x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.

Tehnički podaci

Nužna rasvjeta	Emergency kit 3h
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP44
Vrsta svjetiljke	Stropne svjetiljke
Izvor svjetla	LED
Grlo	LED Platine
Snaga (W)	1
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna

Tehnički podaci - nastavak

Boja	bijela
Materijal	Plastika
Duljina (mm)	300
Visina (mm)	205
Dodatni pribor	LID16949--
ØxV mm	305x205

Mjerne skice: Theia LED 1W, 230V, 3h trajni spoj, IP44, bijele boje




Tabela artikla

OPIS	KAT. BROJ
Theia LED 1W, 230V, 3h trajni spoj, IP44, bijele boje Emergency Lights, wall,-ceiling mounted; 22 EMERGENCY LIGHTS	LID14358
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949