


Tehnički list za artikl: LID14579--

Plano Long LED 40W, 3000K, 2700lm, 100-240V, IP40, bijele b. **ECONOMY**

LED ceiling luminarie; 14 PLAFO



Info o proizvodu

40W LED slim plafo light, IP40, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Svjetlosni tok (lm)	2700
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne nadgradne svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine

Tehnički podaci - nastavak

Efikasnost sustava (lm/W)	67
Faktor snage	0,9
Snaga (W)	40
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	1000
Ulazna struja (A)	1
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	bijela
Materijal	Aluminij tlačni lijev
Duljina (mm)	1200
Širina (mm)	145
Visina (mm)	50
Dodatni pribor	LID 16949--
(DxŠxV) mm	1200x145x50

Mjerne skice: Plano Long LED 40W, 3000K, 2700lm, 100-240V, IP40, bijele b.




Tabela artikla

OPIS	KAT. BROJ
Plano Long LED 40W, 3000K, 2700lm, 100-240V, IP40, bijele b. LED ceiling luminarie; 14 PLAFO	LID14579
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949