

Tehnički list za artikl: LID14781--

Maz 2 LED 38W 230V 2900lm 3000K IP40, bijele boje

stropna svjetiljka, uključen driver



Info o proizvodu

38W LED slim plafo light, IP40, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	2900
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP40
Otpornost na udarce	IK04
Vrsta svjetiljke	Stropne nadgradne svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Efikasnost sustava (lm/W)	76
Snaga (W)	38

Tehnički podaci - nastavak

Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	bijela
Materijal	PC Aluminij
Pokrov	PC opal
Visina (mm)	18
Promjer (mm)	450
Dodatni pribor	LID16949--
ØxV mm	450x18

Mjerne skice: Maz 2 LED 38W 230V 2900lm 3000K IP40, bijele boje



Tabela artikla

OPIS	KAT. BROJ
Maz 2 LED 38W 230V 2900lm 3000K IP40, bijele boje stropna svjetiljka, uključen driver	LID14781
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949