

Tehnički list za artikl: LID15525--

Miram Medium LED 36W, 2700lm, 3000K, 100-240V, IP20, bij.b.

LED plafonjera



Info o proizvodu

36W LED slim plafo, suitable for residential and commercial application, IP20._x000D_ Supplied with non-dimmable LED driver._x000D_ Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	2700
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥85
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Efikasnost sustava (lm/W)	75
Faktor snage	0,9
Snaga (W)	36

Tehnički podaci - nastavak

Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	900
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	bijela
Materijal	Plastika Metal
Visina (mm)	500
Promjer (mm)	60
Dodatni pribor	LID16949--
ØxV mm	500x60

Mjerne skice: Miram Medium LED 36W, 2700lm, 3000K, 100-240V, IP20, bij.b.




Tabela artikla

OPIS	KAT. BROJ
Miram Medium LED 36W, 2700lm, 3000K, 100-240V,IP20,bij.b. LED plafonjera	LID15525
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949