

Tehnički list za artikl: LID16276--

Kiko RE 15W 1200lm 3000K 25° Ra85 230V IP20 bijele boje

LED surface-mounted Downlight; 13 WALL & CEIL LED



Info o proizvodu

15W SMD LED ceiling light IP20. Complete with 700mA driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	1200
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥85
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Kut svjetlosti (°)	25°
Efikasnost sustava (lm/W)	80
Faktor snage	0,5

Tehnički podaci - nastavak

Snaga (W)	15
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	700
Ulazna struja (A)	0,70
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	bijela
Materijal	Aluminij
Visina (mm)	84
Dodatni pribor	LID16949--
(DxŠxV) mm	185x35x84

Mjerne skice: Kiko RE 15W 1200lm 3000K 25° Ra85 230V IP20 bijele boje




Tabela artikla

OPIS	KAT. BROJ
Kiko RE 15W 1200lm 3000K 25° Ra85 230V IP20 bijele boje LED surface-mounted Downlight; 13 WALL & CEIL LED	LID16276
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949