

Tehnički list za artikl: LID16508--

Metopi A LED 22W 1900lm 4000K Ra80 220-240V IP65 antracit

rasvjetni stupić



Info o proizvodu

22W LED Bollard, IP65 for Garden illumination. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.


Tehnički podaci

Maks. temperatura okoline (°C)	55
Svjetlosni tok (lm)	1900
Boja svjetla	Neutralno bijela
Temperatura boje (K)	4000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP65
Otpornost na udarce	IK10
Vrsta svjetiljke	Rasvjeta na stupu
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Efikasnost sustava (lm/W)	86

Tehnički podaci - nastavak

Faktor snage	0,9
Snaga (W)	22
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	550
Ulazna struja (A)	0,50
Frekvencija (Hz)	50/60
Način montaže	Podna
Boja	antracit
Materijal	Aluminij tlačni lijev
Duljina (mm)	160
Širina (mm)	160
Visina (mm)	600
(DxŠxV) mm	160x160x600

Mjerne skice: Metopi A LED 22W 1900lm 4000K Ra80 220-240V IP65 antracit



**Klasa energetske efikasnosti: Metopi A LED 22W 1900lm 4000K Ra80
220-240V IP65 antracit**

OPIS

KAT. BROJ

Metopi A LED 22W 1900lm 4000K Ra80 220-240V IP65 antracit
rasvjetni stupić

LID16508