

Tehnički list za artikl: LID16896--

SL LED 20W-35W 2400-4200lm 4000K CRI90 38deg 230V IP20 bij

20W/25W/30W/35W i 2400/3000/3600/4200lm, trackspot



Info o proizvodu

20W/25W/30W/35W Adjustable power COB LED track spot, ideal for shops and showrooms. Complete with driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	2400/3000/3600/4200
Boja svjetla	Hladno bijela
Temperatura boje (K)	4000
Faktor uzvrata boje	≥90
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP20
Vrsta svjetiljke	Svjetiljka za strujnu sabirnicu
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Kut svjetlosti (°)	38
Efikasnost sustava (lm/W)	120
Faktor snage	0,9

Tehnički podaci - nastavak

Snaga (W)	20/25/30/35
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	500/600/750/850
Frekvencija (Hz)	50/60
Način montaže	Šinska
Boja	bijela
Materijal	Aluminij
Visina (mm)	100
Promjer (mm)	100
Dodatni pribor	LID16902--; LID16901--; LID16905--; LID17013--
ØxV mm	100x100

Mjerne skice: SL LED 20W-35W 2400-4200lm 4000K CRI90 38deg 230V IP20 bij




Tabela artikla

OPIS	KAT. BROJ
SL LED 20W-35W 2400-4200lm 4000K CRI90 38deg 230V IP20 bij 20W/25W/30W/35W i 2400/3000/3600/4200lm, trackspot	LID16896
Dodatni pribor	
Bijeli prsten za seriju SL LED 20-35W 09 TRACK LIGHTS	LID16902
Brass prsten za seriju SL LED 20-35W 09 TRACK LIGHTS	LID16901
Lens 15deg SL LED, 20-35W 09 TRACK LIGHTS	LID16905
Lens 24° SL LED, 20-35W 09 TRACK LIGHTS	LID17013