

Tehnički list za artikl: LID17014--

Momos 50W 5750lm 4000K 230V IP66 IK08 1510mm

21 INDUSTRIAL & FLDS



Info o proizvodu

50W industrial linear light, IP66. Complete with non-dimmable LED driver. Supplied with 3 fixing clips. Complies with standard EN60598-1 and any other specific standards.


Tehnički podaci

Svjetlosni tok (lm)	5750
Boja svjetla	Hladno bijela
Temperatura boje (K)	4000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP66
KEU	E
Otpornost na udarce	IK08
Vrsta svjetiljke	Vodotijesne industrijske svjetiljke
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Efikasnost sustava (lm/W)	115

Tehnički podaci - nastavak

Faktor snage	0,9
Snaga (W)	50
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna Zidna nadgradna
Materijal	PC
Duljina (mm)	1510
Širina (mm)	62
Visina (mm)	58
(DxŠxV) mm	1510x62x58

Mjerne skice: Momos 50W 5750lm 4000K 230V IP66 IK08 1510mm



OPIS

KAT. BROJ

Momos 50W 5750lm 4000K 230V IP66 IK08 1510mm

LID17014

21 INDUSTRIAL & FLDS