

Tehnički list za artikl: LID17087--

Black LED 50W 6800lm 3000K 100-240V IP66 IK08

ulična svjetiljka



Info o proizvodu

LED street light with SMD LED. High lumen output ideal for replacement of old HPS and mercury street lighting fittings. Post Diameter 60mm. Complete with 950mA driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	6800
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Životni vijek	50.000h
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP66
Otpornost na udarce	IK08
Vrsta svjetiljke	Urbana svjetiljka
inkl.rasvjetno tijelo	da
Grlo	LED Platine
Kut svjetlosti (°)	140x80

Tehnički podaci - nastavak

Efikasnost sustava (lm/W)	136
Faktor snage	0,9
Snaga (W)	50
Pogonski uređaj	LED Driver
Radni napon AC (V)	100-240
Ulazni napon AC (V)	100-240
Pogonska struja mA (mA)	950
Ulazna struja (A)	0,95
Frekvencija (Hz)	50/60
Način montaže	Montaža na stup
Boja	crna
Materijal	Plastika
Duljina (mm)	400
Širina (mm)	190
Visina (mm)	74
Dodatni pribor	LID 17171 --;
(DxŠxV) mm	400x190x74

Mjerne skice: Black LED 50W 6800lm 3000K 100-240V IP66 IK08




Tabela artikla

OPIS	KAT. BROJ
Black LED 50W 6800lm 3000K 100-240V IP66 IK08 ulična svjetiljka	LID17087
Dodatni pribor	
Adapter 90° za seriju Black LED i City LED 21 INDUSTRIAL & FLDS	LID17171