

Tehnički list za artikl: NLKMUS003S

KM LED 3h univerzalna SC Panik svjetiljka, crna

Universal mounting, with 4x0,5W High Power LED, with LiFePO4 battery, 1h/3h/8h adjustable, viewing distance: 24m, 1h: 170lm; 3h: 170lm; 8h: 76lm



Tehnički podaci


Neto duljina (mm)	250,00
Neto širina (mm)	34,00
Neto visina (mm)	174,00
Neto masa (kg)	0,39
Vrsta svjetiljke	Panik svjetiljka
VB-CPS	Sa vlastitom baterijom
Funkcija	Samokontrola
Izvedba/tip	Plastične svjetiljke
Dizajn	KM
Bezhalogena	Plastično kućište, bez halogena
Boja	RAL 9005 (crna)
Piktogram	Slide-in pictogram set (arrow left, right, bottom, top and white foil for single side use) included in accordance with ISO 7010

Tehnički podaci - nastavak


Područje detekcije (m)	24
Rasvjetno tijelo	LED
Područje napona (V)	230V AC 50Hz ±20%
Power maintained mode (W)	3,30
Power non-maintained mode (W)	1
Power max. (W)	4,60
Baterija (V/Ah)	3,2/3,0 LiFePO4
IP stupanj zaštite	IP54
Udarna čvrstoća	IK03
Način montaže	Stropna ugradna opcija Zidna nadgradna Stropna nadgradna Univerzalno
Min. temperatura okoline (°C)	-5
Maks. temperatura okoline (°C)	40
Proizvođač	Schrack

Dimensions (mm)

NLKM...



NLKME



Drilling distances (mm)




Tabela artikla

OPIS	KAT. BROJ
KM LED 3h univerzalna SC Panik svjetiljka, crna	
Universal mounting, with 4x0,5W High Power LED, with LiFePO4 battery, 1h/3h/8h adjustable, viewing distance: 24m, 1h: 170lm; 3h: 170lm; 8h: 76lm	NLKMUS003S
Dodatni pribor	
Zidni nosač za panik svjetiljke Design KM/KS	NLAWKSU
Baterija 3,2V 3,0Ah LiFePO4 za LED EB-svj. KSC, KMB, ZAW	
Za serije KM, KSC, KMB, ASM, ZAW, NLIL. L.23., LiFePO4 - Litij-željezna fosfatna baterija , UN3480 - UN 3480 : Litij-ionske baterije, kompatibilne s akumulatorom 3,2V 3,3Ah	NLAKKU3230
Cijevni nosač par dužine 500mm bijeli , ožičeni	NL2DWKMKS
Suitable for design KS, KM, KMB in self contained version with LiFePO4 battery	
Zaštitna mrežica za panike KD,KS,LI,M	NLBALL1
I x h x d: 320 x 220 x 120mm	
Cijevni nosač kromirani, montaža strop	NLDSA000
Ovjesna sjajla dužine 2000mm , komplet 1 par	NLCORD2
Ovjesna sjajla dužine 4000mm , komplet 1 par	NLCORD4